



**ATTIC ACCESS DOOR  
SELF LOCKING & SELF CLOSING BY GENERAL CONTRACTOR**

THE INFORMATION CONTAINED HEREIN IS SOLELY OWNED BY RESIDENTIAL ELEVATORS, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION FROM RESIDENTIAL ELEVATORS, INC. IS STRICTLY PROHIBITED.

| DRAWN: | CHECKED: | DATE:    | REVISION                     |
|--------|----------|----------|------------------------------|
| G.P.   | F.P.     | 05/03/12 | MOVE ACCESS DOORS            |
| G.P.   | F.P.     | 03/22/10 | CHANGE DOGHOUSE WIDTH TO 36" |
| G.P.   | F.P.     | 6/04/10  | ADD LLT DESIGNATION          |

|   |  |
|---|--|
| PART NAME:<br><b>ATTIC ACCESS DOOR<br/>DOGHOUSE APPLICATION</b> | DRAWING NUMBER:<br><b>HOR AD 02 D1</b> |
|---|--|

IF ACCESS DOOR IS IN CEILING OF THE ELEVATOR SHAFT, THEN CONTROLLER, VVVF DRIVE, UPS, ELECTRICAL BOXES, GFI, PHONE LINE & LIGHT FIXTURE & SWITCH TO BE LOCATED IN ATTIC.

FOR ATTIC EQUIPMENT ACCESS, A CATWALK IS REQUIRED IN ATTIC FROM THE ATTIC ACCESS DOOR TO THE CONTROLLER LOCATION.



LUXURY LIFT LLT TRACTION